

MREŽNA OPREMA



UNITRG d.o.o.



SADRŽAJ:

Samostojeći ormari T2 (A2) serije	_____	str.	01 - 02
Zidni komunikacijski ormari WL/WM serije	_____	str.	03
Zidni komunikacijski ormari WD/ZH serije	_____	str.	04
Zidni komunikacijski ormari vertikalni	_____	str.	05
Zidni komunikacijski ormari SOHO 10''	_____	str.	06 - 07
Podžbukni komunikacijski ormarić	_____	str.	08
Optički ormarići & paneli	_____	str.	09
Cable management & distribution	_____	str.	10
Police, napajanja, blende,..	_____	str.	11 - 12
Ventilatorske jedinice i ostala oprema	_____	str.	13
Patch paneli	_____	str.	14
Moduli	_____	str.	15
Coupleri, razdjelnici, spliteri	_____	str.	16
Utičnice	_____	str.	17
Alati	_____	str.	18
Instrumenti	_____	str.	19
Patch cordovi i kabele	_____	str.	20
Kanal parapetni 101x50 s priborom	_____	str.	21



SAMOSTOJEĆI ORMARI T2 (A2) SERIJE



KARAKTERISTIKE:

- standardna izvedba 19"
- ergonomičan dizaj
- prednja vrata staklena s bravom i mogućnošću podešavanja na lijevu i desnu stranu
- stražnja vrata metalna s bravom i mogućnošću podešavanja na lijevu i desnu stranu
- bočne stranice na skidanje
- nosači 19" uključeni u cijenu, podesivi po dubini
- otvori za uvod kabela i pasivnu ventilaciju na krovu i podu ormara
- podnica s nogicama podesivim po visini ili kotačima
- mogućnost umetanja aktivne ventilacije u krovni dio ormara
- boja siva; RAL 7035
- materijal: HV lim
- završna obrada elektrostatska plastifikacija

NOSIVOST: 800 kg

STANDARD: IEC297/2


STUPANJ ZAŠTITE: IP20



SAMOSTOJEĆI ORMARI T2 (A2) SERIJE

SPECIFIKACIJE:

kapacitet (U)	visina (mm)	širina (mm)	dubina (mm)	kat.br.
18U	988	600	600	UN12221
18U	988	600	800	UN12215
18U	988	800	800	UN12222
18U	988	600	1000	UN15623
22U	1166	600	600	UN15367
22U	1166	600	800	UN15368
22U	1166	800	800	UN15624
22U	1166	600	1000	UN15547
27U	1388	600	600	UN13729
27U	1388	600	800	UN15369
27U	1388	800	800	UN15626
27U	1388	600	1000	UN15625
32U	1610	600	600	UN15548
32U	1610	600	800	UN15627
32U	1610	800	800	UN15628
32U	1610	600	1000	UN15549
37U	1833	600	600	UN13730
37U	1833	600	800	UN15371
37U	1833	800	800	UN15630
37U	1833	600	1000	UN15629
42U	2055	600	600	UN11961
42U	2055	600	800	UN12230
42U	2055	800	800	UN11963
42U	2055	600	1000	UN15550
42U	2055	800	1000	UN12232



ZIDNI KOMUNIKACIJSKI ORMARI WL/WM SERIJE


single section/ jednodjelni

KARAKTERISTIKE:

- standardna izvedba 19"
- ergonomičan dizaj
- prednja vrata staklena s bravom
- bočne stranice na skidanje
- nosači 19" uključeni u cijenu, podesivi po dubini
- otvori za uvod kabela i pasivnu ventilaciju na krovu i podu ormara
- mogućnost umetanja aktivne ventilacije
- boja siva; RAL 7035
- materijal: HV lim
- završna obrada elektrostatska plastifikacija

NOSIVOST: 60 kg

STANDARD: IEC297/2



SPECIFIKACIJE:

kapacitet (U)	visina (mm)	širina (mm)	dubina (mm)	kat.br.
6U	368	600	450	UN11973
9U	501	600	450	UN11680
12U	635	600	450	UN11974
15U	769	600	450	UN11975
18U	901	600	450	UN11976
22U	1082	600	450	UN15366



ZIDNI KOMUNIKACIJSKI ORMARI WD/ZH SERIJE

double section/ dvodjelni

KARAKTERISTIKE:

- standardna izvedba 19"
- ergonomičan dizaj
- prednja vrata staklena s bravom
- bočne stranice na skidanje
- nosači 19" uključeni u cijenu, podesivi po dubini
- otvori za uvod kabela i pasivnu ventilaciju na krovu i podu ormara
- mogućnost umetanja aktivne ventilacije
- boja siva; RAL 7035
- materijal: HV lim
- završna obrada elektrostatska plastifikacija
- svojom konstrukcijom dvostrukog otvaranja (stražnja vrata i tijelo ormara) omogućuju pristup montiranim uređajima sa stražnje strane i nakon montaže ormara na zid

NOSIVOST: 60 kg


STANDARD: IEC297/2

STUPANJ ZAŠTITE: IP20



SPECIFIKACIJE:

kapacitet (U)	visina (mm)	širina (mm)	dubina (mm)	kat.br.
9U	501	600	550	UN11977
12U	635	600	550	UN12218
15U	769	600	550	UN12219
18U	901	600	550	UN12220
22U	1082	600	550	UN15631



ZIDNI KOMUNIKACIJSKI ORMARI VERTIKALNI

VERTIKALNI ZIDNI ORMARIĆ 3U

KARAKTERISTIKE:

- standardna izvedba 19"
- ergonomičan dizaj
- bočno otvaranje stranice s bravom
- nosači 19" opreme
- uvod kabela s gornje i donje strane ormara
- prolaz kabela ispod i iznad panela
- otvori za pasivnu ventilaciju
- boja siva; RAL 7035
- materijal: HV lim
- završna obrada elektrostatska plastifikacija

STANDARD: IEC297/2
STUPANJ ZAŠTITE: IP20



SPECIFIKACIJE:

kapacitet (U)	visina (mm)	širina (mm)	dubina (mm)	kat.br.
3U	505	352	144	UN10245



VERTIKALNI ZIDNI ORMARIĆ 3U+2U 19" SA STAKLOM

KARAKTERISTIKE:

- standardna izvedba 19"
- ergonomičan dizaj
- bočno otvaranje stranice s bravom
- nosači 19" opreme
- uvod kabela s gornje i donje strane ormara
- prolaz kabela ispod i iznad panela
- otvori za pasivnu ventilaciju
- boja siva; RAL 7035
- materijal: HV lim
- završna obrada elektrostatska plastifikacija

STANDARD: IEC297/2
STUPANJ ZAŠTITE: IP20

SPECIFIKACIJE:

kapacitet (U)	visina (mm)	širina (mm)	dubina (mm)	kat.br.
5U	530	480	160	UN15632

ZIDNI KOMUNIKACIJSKI ORMARI SOHO 10"

small office / home office



SPECIFIKACIJE:

kapacitet (U)	visina (mm)	širina (mm)	dubina (mm)	kat.br.
4U	240	280	310	UN14433
4U	240	280	200	UN15364
9U	460	280	310	UN14434
9U	462	280	200	UN15365



KARAKTERISTIKE:

- standardna izvedba 10"
- za manje urede i kućnu uporabu
- isporučuje se rastavljen, u kartonu malih dimenzija
- prednja vrata staklena s bravom, s podešavanjem otvaranja na obje strane
- nosači 10" opreme podesivi po dubini
- uvod kabela s gornje i donje strane
- boja siva; RAL 7035
- materijal: HV lim
- nosivost: 30 kg
- završna obrada elektrostatska plastifikacija

STANDARD: IEC297/2

STUPANJ ZAŠTITE: IP20

ZIDNI KOMUNIKACIJSKI ORMARI SOHO 10"

small office / home office

Naziv	kat.br.
10" nosač kabela 1U 4L	UN11515



Naziv	kat.br.
10" napojni panel 4ut, s prekidačem 1U	UN11769



Naziv	Dubina(mm)	kat.br.
10" polica 1U	150	UN10479



Naziv	kat.br.
10" patch panel frame 8port 1U	UN10478



Naziv	kat.br.
10" nosač 1U	UN12280



Naziv	kat.br.
10" blind panel 1U	UN11516



Naziv	kat.br.
10" patch panel 12port 1U UTP Cat5e	UN15588



Naziv	kat.br.
10" patch panel 12port 1U FTP Cat6	UN15589



PODŽBUKNI ORMARIĆ 4530



Materijal HV lim: 1.2mm

Boja bijela

Prednja vrata s bravom

Sadrži:

- nosač reglete s rastavnom regletom
- 2x10" nosač panela
- sabirnice za nulu i zemlju
- čičak vezica
- dvostrano ljepljiva traka
- vijci i matice
- stupanj zaštite IP20

SPECIFIKACIJE:


visina (mm)	širina (mm)	dubina (mm)	kat.br.
450	300	105	UN15430



Nosač DIN rail Keystone 2440S


- univerzalni nosač za keystone module:
RJ11, RJ45 (UTP, FTP, Cat5e, Cat6, Cat6a),
optičke module...

Kat. broj: UN15525



Nosač DIN rail keystone metalni

Kat. broj: UN15529



Adapter DIN rail Fiber LCDU/SC

Kat. broj: UN15590



Adapter DIN rail SCSCSM s couplerom

Kat. broj: UN15526



OPTIČKI ORMARIĆI & PANELI



KARAKTERISTIKE:

- uvod kabela s gornje i donje strane
- prednja vrata s bravicom
- okomiti smještaj couplera/konektora
- boja siva; RAL 7035
- materijal: HV lim
- završna obrada elektrostatska plastifikacija

STANDARD: IEC297/2

STUPANJ ZAŠTITE: IP20

SPECIFIKACIJE:

tip	visina (mm)	širina (mm)	dubina (mm)	kat.br.
24ST	310	310	90	UN13345
12SCDU	310	310	90	UN10621



19" OPTIČKI PANELI (LADICE):




KARAKTERISTIKE:

- izvlačive s plastičnim zatvaračima
- boja siva; RAL 7035
- materijal: HV lim
- završna obrada elektrostatska plastifikacija

tip	kat.br.
12SCDU 1U	UN10483
24ST 1U	UN13360
24LCDU 1U	UN15313
6SCDU/10xRJ45 1U	UN13913

STANDARD: IEC297/2
STUPANJ ZAŠTITE: IP20



Nosač optičkog kabela
(optički plastic cable holder)
Kat.broj: UN12434



Optički plastic dust cover SC duplex
Kat.broj: UN12186



ST-ST coupler
Kat.broj: UN11304



LC-LC duplex coupler
Kat.broj: UN11305




SC-SC duplex coupler
Kat.broj: UN11228



CABLE MANAGEMENT & DISTRIBUTION

- standardna izvedba 19"
- završna obrada elektrostatska plastifikacija

Naziv	boja	dubina (mm)	visina (U)	kat.br.
Nosač kabla 5M	sivi RAL7035	65	1U	UN10221
Nosač kabla 5M	crni RAL9004	65	1U	UN13928
Nosač kabla 5L	sivi RAL7035	50	1U	UN10222
Nosač kabla 5L	crni RAL9004	50	1U	UN13927
Nosač kabla UK stabile	sivi RAL7035	70	1U	UN10218
Nosač kabla UK stabile	crni RAL9004	70	1U	UN13932
Nosač kabla IK stabile	sivi RAL7035	45	1U	UN13356
Nosač kabla IK stabile	crni RAL9004	40	1U	UN13931
Prolazni brush panel	sivi RAL7035		1U	UN14431
Prolazni brush panel	crni RAL9004		1U	UN14432



Naziv	boja	visina (U)	kat.br.
Nosač kabla stražnji	crni RAL9004	1Ui	UN13936
Nosač regleta	sivi RAL7035	2U	UN10216
Nosač regleta	crni RAL9004	2U	UN13935



Naziv	kat.br.
Nosač dodatni raster 720mm	UN13331
Nosač dodatni vertikalni (dimenzije prema zahtjevu kupca)	UN10482
Nosač panela dodatni - hook plastični	UN15465



Vertikalni kanali za samostojeće ormare širine 800mm:

Naziv	kat.br.
Nosač kabla 18U vertikalni	UN13359
Nosač kabla 25U vertikalni	UN13358
Nosač kabla 36U vertikalni	UN13357
Nosač kabla 42U vertikalni	UN12556



Nosač 19" opreme
• Raster letva 42U
kat.br.: UN11039

Naziv	kat.br.
Napojni panel 1U 19" 6 utičnih mjesta s prekidačem i prenaponskom zaštitom GNS2306-L	UN14638
Napojni panel 1U 19" 8 utičnih mjesta s prekidačem i prenaponskom zaštitom GNS2308-L	UN14639
Napojni panel 1.1U 19" 6 utičnih mjesta s prekidačem i prenaponskom zaštitom plastični	UN11549



Rasvjeta za komunikacijske ormare
Kat.broj: UN10629



Držač dokumentacije
Kat.broj: UN15634

Set stopica - PF uzemljenje
Kat.broj: UN15635



Naziv	boja	dubina (mm)	kat.br.
Polica 1U 19"	siva RAL7035	250	UN10238
Polica 1U 19"	crna RAL9004	250	UN13876
*Polica 1U 19"	siva RAL7035	266	UN15374
*Polica 1U 19"	crna RAL9004	266	UN15375
Polica 1U 19"	siva RAL7035	310	UN10239
Polica 1U 19"	crna RAL9004	310	UN13877
Polica 1U 19"	siva RAL7035	350	UN10240
Polica 1U 19"	crna RAL9004	350	UN13878





Naziv	boja	dubina (mm)	kat.br.
**Polica 2U 19" sa zadnjim nosačima	siva RAL7035	350-450	UN15373
Polica 2U 19" sa zadnjim nosačima	siva RAL7035	475-600	UN10243
Polica 2U 19" sa zadnjim nosačima	crna RAL9004	475-600	UN13880



**



Naziv	boja	dubina (mm)	kat.br.
Polica 1U 19" teleskopska	siva RAL7035	podesiva	UN10492
Polica 1U 19" teleskopska	crna RAL9004	podesiva	UN13881



Naziv	boja	visina (U)	kat.br.
Blind panel 19"	sivi RAL7035	1U	UN10223
Blind panel 19"	crni RAL9004	1U	UN13866
Blind panel 19"	sivi RAL7035	2U	UN10224
Blind panel 19"	crni RAL9004	2U	UN13867
Blind panel 19"	sivi RAL7035	3U	UN10225
Blind panel 19"	crni RAL9004	3U	UN13868

VENTILATORSKE JEDINICE I OSTALA OPREMA



- Ventilatorska jedinica s dva ventilatora
- digitalni termostat
 - visina 1U

Kat.broj: UN12724



- Ventilatorska jedinica s četiri ventilatora
- digitalni termostat
 - visina 1U

Kat.broj: UN12725




- Ventilatorska jedinica krovna s dva ventilatora

Kat.broj: UN11871


- Ventilatorska jedinica krovna s četiri ventilatora

Kat.broj: UN13732



Nosač zidni 2U 150mm

Kat.broj: UN15614



Nosač panela zidni (par)

Kat.broj: UN15530



Termostat S za komunikacijske ormare

Kat.broj: UN10687



Bravica Cam Lock 10

Kat.broj: UN11554



Vijak i krilna matica M6 s plastičnom podloškom

Kat.broj: UN11458


PATCH PANELI



- Patch panel 24 porta Cat5e UTP
Kat.br.: UN10206
- Patch panel 24 porta Cat6 UTP
Kat.br.: UN11768



- Patch panel 24 porta Cat5e FTP
Kat.br.: UN10208
- Patch panel 24 porta Cat6 FTP
Kat.br.: UN12180




- Patch panel 25 porta Cat3 voice/tel
Kat.br.: UN11248
- Patch panel 25 porta Cat3 ISDN
Kat.br.: UN11457



- Patch panel 50 porta Cat3 voice/tel
Kat.br.: UN11249
- Patch panel 50 porta Cat3 ISDN
Kat.br.: UN11456



- Patch panel 24 porta Cat6A FTP
Kat.br.: UN15613



- Patch panel H 24 porta 1U Cat5e
19" s vodilicom kabela
Kat.br.: UN11951



- Patch panel H 24 porta 1U Cat6
19" s vodilicom kabela
Kat.br.: UN15129

- Patch panel frame 24 porta 1U 19"
Kat.br.: UN12182

- Patch panel frame modular
24 porta 2U 19"
Kat.br.: UN10689



Naziv	kat.br.
MIK88 - Mikroutikač 8p8c Cat5e UTP	UN10065
MIK84 - Mikroutikač 8p4c short UTP ISDN	UN11229
MIK88 - Mikroutikač 8p8c Cat6 UTP	UN12183
MIK88 - Mikroutikač 8p8c Shield Cat5e FTP	UN10620
MIK88 - Mikroutikač 8p8c Shield Cat6 FTP	UN13788



- Modul keystone Cat3 RJ11

Kat.broj: UN12432



Naziv	kat.br.
Modul keystone Cat5e RJ45 UTP	UN10192
Modul keystone Shield Cat5e RJ45 FTP	UN10481



Naziv	kat.br.
Modul keystone Cat6 RJ45 UTP	UN12435
Modul keystone Shield Cat6 RJ45 FTP	UN13209



- Modul keystone Cat6A RJ45 SFTP

Kat.broj: UN14153



Naziv	kat.br.
Pregibnica RJ45 bijela	UN13938
Pregibnica RJ45 crna	UN13941
Pregibnica RJ45 crvena	UN13985
Pregibnica RJ45 plava	UN13940
Pregibnica RJ45 siva	UN10193
Pregibnica RJ45 zelena	UN13939
Pregibnica RJ45 žuta	UN13942



Naziv	kat.br.
Adapter plastic blank	UN10837
Adapter plastic BNC	UN10843
Adapter plastic F	UN10842
Adapter plastic FC	UN10841
Adapter plastic modul RJ45	UN10724
Adapter plastic RJ45/RJ11	UN10612
Adapter plastic SC	UN10840
Adapter plastic ST	UN10839


COUPLERI / RAZDJELNICI / SPLITERI



Naziv	kat.br.
Coupler In Line UTP Cat5e	UN10190
Coupler In Line FTP Cat5e	UN11232



Naziv	kat.br.
Coupler Box Cat5e	UN10191
Coupler Box Cat6	UN14295



Naziv	kat.br.
Spojnik SKM 188	UN10694
Razdjelnik SKM 288 MŽŽ	UN10776
Razdjelnik SKM 288 ŽŽŽ	UN10777



Spliter RJ45-4xRJ45 Cat5e spoj 88888

- ulaz: 1M RJ45, (8P8C)
- izlaz: paralel type 1:1,...8:8

Kat.br.: UN11253





Spliter RJ45-4xRJ45 Cat3 spoj 82222

- ulaz: 1M RJ45, (8P8C)
- izlaz: 4Ž RJ45 utičnice, (8P2C)

Kat.br.: UN12856



1.



2.



Naziv	kat.br.
1. Spliter Network/Tel RJ45 MŽŽ	UN15587
2. Spliter 2xNetwork RJ45 MŽŽ	UN15586



Naziv	kat.br.
SU1 kutija za keystone modul 1xRJ45 UTP Cat5e	UN11230
SU2 kutija za keystone modul 2xRJ45 UTP Cat5e	UN11231



Naziv	kat.br.
Utičnica za nadžbuknu montažu 1xRJ45 UTP Cat5e	UN10513
Utičnica za nadžbuknu montažu 2xRJ45 UTP Cat5e	UN11303
Utičnica za nadžbuknu montažu 2xRJ45 FTP Cat5e	UN10526



Naziv	kat.br.
Utičnica za podžbuknu montažu s nogicama za kutije Ø60 1xRJ45 Cat5e	UN10184
Utičnica za podžbuknu montažu s nogicama za kutije Ø60 2xRJ45 Cat5e	UN10185



- Utičnica za podžbuknu montažu 2xRJ45 UTP Cat5e

Kat.broj: UN10189

- mogućnost nadžbukne montaže uz kutiju 80x80x35

Kat.broj: UN12187



- Utičnica za podžbuknu montažu s nogicama za kutije Ø60 2xRJ45 UTP/FTP Cat6 - boja: krem

Kat.broj: UN12002

- mogućnost nadžbukne montaže uz kutiju 80x80x35 (boja: krem)

Kat.broj: UN15650





Naziv	kat.br.
Kliješta za mikroutikače 4p RJ14	UN10108
Kliješta za mikroutikače 6p RJ11	UN10109
Kliješta za mikroutikače 8p RJ45	UN10110



Naziv	kat.br.
Kliješta za mikroutikače 6p/8p; RJ11/RJ45	UN10111




Naziv	kat.br.
Kliješta za mikroutikače 4p/6p/8p; RJ14/RJ11/RJ45	UN10112



Naziv	kat.br.
Alat 110 za nabacivanje panela	UN10574



Naziv	kat.br.
Alat LSA sa senzorom ('Krone type') za nabacivanje panela	UN10444



Naziv	kat.br.
Alat striper UTP/FTP za skidanje izolacije	UN11459



Naziv	kat.br.
Alat za skidanje izolacije s koaksijalnih kablova RG58/RG59	UN12184

INSTRUMENTI



- LAN tester RJ45
- ispitivanje spojeva

Kat.broj: UN10205

- LAN tester 3LW RJ45 met
- display
- ispitivanje spojeva
- mjerenje duljine kabela

Kat.broj: UN13022



- Ispitni set ton generator/LAN tester MT-7068

- uređaj za pronalaženje parica i LAN network tester u jednom
- sastoji se od indikatora i sonde
- indikacija pomoću 8 LED lampica za testiranje mrežnog spoja
- zvučna i svjetlosna indikacija za pronalaženje žica
- konekcija na liniju: mikROUTIKAČ i aligator stezaljke

Kat.broj: UN14726

- LAN tester RJ45 RFA3
- ispitivanje spojeva

Kat.broj: UN11251



- Ton generator (sonda i pribor za traženje parica)

- uređaj za pronalaženje parica
- sastoji se iz 2 jedinice (sonda i ton generator)
- svjetlosna i zvučna indikacija
- podešavanje jačine tona
- emitira ton u više frekvencija

Kat.broj: UN11655



- Ispitna slušalica

ST230F nova generacija ispitne slušalice za brzo i učinkovito utvrđivanje kvarova na telefonskim linijama uz mnogobrojne druge mogućnosti uz visoki stupanj zaštite od visokih i niskih napona.

Specifikacije:

Tester telefonskih linija za analogne telefonske linije
ISDN/ADSL indentifikacija
Hands free funkcija, dvosmjerna
Prikaz brojeva na ekranu
Zaključavanje
Tone/pulse prebacivanje
Alarm za visoki napon
Upozorenje za niski napon te *energy-saving mode*
Memorijske tipke 10 grupa po 18 brojeva
Litij ionska baterija s punjačem u pakiranju

Kat.broj: UN15576



PATCH CORDOVI & KABELI

Naziv	duljina (m)	kat.br.
Patch cord Cat5e UTP sivi	0,5	UN10194
Patch cord Cat5e UTP sivi	1,0	UN10195
Patch cord Cat5e UTP sivi	1,5	UN10196
Patch cord Cat5e UTP sivi	2,0	UN10197
Patch cord Cat5e UTP sivi	3,0	UN10198
Patch cord Cat5e UTP sivi	4,0	UN10199
Patch cord Cat5e UTP sivi	5,0	UN10200
Patch cord Cat5e UTP sivi	7,5	UN12712
Patch cord Cat5e UTP sivi	10,0	UN11950
Patch cord Cat5e UTP sivi	15,0	UN15208



Naziv	duljina (m)	kat.br.
Patch cord Cat5e FTP sivi	0,5	UN10951
Patch cord Cat5e FTP sivi	1,0	UN10952
Patch cord Cat5e FTP sivi	2,0	UN10953
Patch cord Cat5e FTP sivi	3,0	UN11007
Patch cord Cat5e FTP sivi	5,0	UN11008



Naziv	duljina (m)	kat.br.
Patch cord Cat6 UTP sivi	0,5	UN12185
Patch cord Cat6 UTP sivi	1,0	UN11860
Patch cord Cat6 UTP sivi	2,0	UN11888
Patch cord Cat6 UTP sivi	3,0	UN11861
Patch cord Cat6 UTP sivi	5,0	UN11862



Naziv	duljina (m)	kat.br.
Patch cord Cat6 FTP sivi	0,5	UN13777
Patch cord Cat6 FTP sivi	1,0	UN13778
Patch cord Cat6 FTP sivi	2,0	UN13779
Patch cord Cat6 FTP sivi	3,0	UN13780
Patch cord Cat6 FTP sivi	5,0	UN13781

Naziv	pakiranje (m)	kat.br.
Kabel UTP AWG24 solid Cat5e sivi	305	UN10201
Kabel UTP AWG24 stranded Cat5e sivi	305	UN10202
Kabel FTP AWG24 solid Cat5e sivi	305	UN13226
Kabel UTP AWG24 solid Cat6 sivi	305	UN10695
Kabel FTP AWG24 solid Cat6 sivi	305	UN13979



KANAL PARAPETNI 101x50 S PRIBOROM



Naziv	kat.br.
PKS IKPA Parapetni kanal 101x50 s poklopcem	UN12631
PKS IKPA Pregrada parapetnog kanala 101x50	UN12632
PKS IKPA Nosač za 1 utičnicu 45x45 parapetnog kanala 101x50	UN12643
PKS IKPA Nosač za 2 utičnice 45x45 parapetnog kanala 101x50	UN12644
PKS IKPA Nosač za 3 utičnice 45x45 parapetnog kanala 101x50	UN12645
PKS IKPA Nosač za 4 utičnice 45x45 parapetnog kanala 101x50	UN13095
PKS IKPA Kut 90 parapetnog kanala 101x50	UN12641
PKS IKPA T-spojnica parapetnog kanala 101x50	UN12636
PKS IKPA Unutarnji kut parapetnog kanala 101x50	UN12634
PKS IKPA Vanjski kut parapetnog kanala 101x50	UN12635
PKS IKPA Spojnica parapetnog kanala 101x50	UN12638
PKS IKPA Završetak parapetnog kanala 101x50	UN12637
PKS IKPA Držač kabela parapetnog kanala 101x50	UN13097
PKS UPS Utičnica	UN12627
PKS 45x45 Shuko utičnica	UN12626
PKS 45x22,5 Nosač keystone modula - 45022	UN12629
PKS 45x45 Nosač keystone modula širi - 45045	UN12630
PKS IKPA Blind modul 45x22,5 parapetnog kanala	UN13096

ZIDNI KOMUNIKACIJSKI ORMARI WS SOHO 19" (single section/jednodjeljni)

KARAKTERISTIKE:

- standardna izvedba 19"
- ergonomičan dizaj
- prednja vrata staklena s bravom
- nosači 19"
- otvori za uvod kabela i pasivnu ventilaciju na krovu i podu ormara
- boja siva; RAL 7035
- materijal: HV lim
- završna obrada elektrostatska plastifikacija

NOSIVOST: 30 kg
STANDARD: IEC297/2
STUPANJ ZAŠTITE: IP20




SPECIFIKACIJE:

kapacitet (U)	visina (mm)	širina (mm)	dubina (mm)	kat.br.
4U	240	530	350	UN15361
6U	329	530	350	UN15362
9U	462	530	350	UN15363



- Patch panel frame 24 porta 1U 19" STP Cat6A
Kat.br.: UN16587



- Patch panel frame 24 porta 1U 19" UTP Cat6A
Kat.br.: UN16269



- Rasvjeta za komunikacijske ormare 19"
Kat.br.: UN10629



- Set za povezivanje OST T2 komunikacijskih ormara

Kat.broj: UN16971



- Modul keystone HDMI

Kat.broj: UN16270



- Modul keystone F-F konektor

Kat.broj: UN16819



- Modul keystone RJ45 Cat6A UTP

Kat.broj: UN16051



- Modul keystone P-type Cat6 UTP

Kat.broj: UN16052



Naziv	kat.br.
MIKU88C6a mikroutikač 8/8 Cat6a UTP	UN16962
MIKU88C6a mikroutikač 8/8 Cat6a shield FTP	UN16963



PERFORIRANA VRATA


KARAKTERISTIKE:

- boja siva; RAL 7035
- materijal: HV lim
- završna obrada elektrostatska plastifikacija

STANDARD: IEC297/2


STUPANJ ZAŠTITE: IP20

- OST T2 600 HighDensity perforirana vrata
Kat.br.: UN16972
- OST T2 800 HighDensity dupla perforirana vrata
Kat.br.: UN16973
- OST T2 800 HighDensity perforirana vrata
Kat.br.: UN16974



POLICE

Naziv	boja	dubina (mm)	kat.br.
Polica 2U 60 19" sa zadnjim nosačima	siva RAL7035	350-450	UN16768
Polica 2U 80 19" sa zadnjim nosačima	siva RAL7035	550-650	UN16769
Polica 2U 19" 400	crna RAL9004	400	UN15814
Polica 2U 19" 400	siva RAL7035	400	UN16028



Naziv	duljina (m)	kat.br.
Patch cord Cat6a UTP sivi	0,5	UN16264
Patch cord Cat6a UTP sivi	1,0	UN16265
Patch cord Cat6a UTP sivi	2,0	UN16266
Patch cord Cat6a UTP sivi	3,0	UN16267
Patch cord Cat6a UTP sivi	5,0	UN16268



Naziv	duljina (m)	kat.br.
Patch cord Cat6a FTP sivi	0,5	UN16964
Patch cord Cat6a FTP sivi	1,0	UN16965
Patch cord Cat6a FTP sivi	2,0	UN16966
Patch cord Cat6a FTP sivi	3,0	UN16967
Patch cord Cat6a FTP sivi	5,0	UN16968

VENTILATOR

- Ventilator 120x120x25mm /230V
Kat.br.: UN10604





Unitrg d.o.o.

Donje Svetice 40,
10000 Zagreb, Hrvatska
tel.: +3851 2383 733
fax.: +3851 2383 734